NUTRICIA RESEARCH PROVIDES NUTRITIONAL SOLUTIONS

to support the development of healthy gastrointestinal (GI) function

The combination of prebiotic oligosaccharides mixture (scGOS/IcFOS) with partly fermented formula:



Helps lower the incidence of infantile colic at 4 weeks of age compared to control groups¹



Persistently displays a lower daily crying duration over a 17-week period¹



scGOS/IcFOS = short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides

1. Vandenplas Y, et al. The 47th ESPGHAN Annual Meeting, 9–12 June, 2014, Jerusalem, Israel. Abstract #PO-N-0253. 2. Safino F, et al. Eur J Clin Nutr, 60:1304–10, 2006. 3. Schmelze H, et al. JPGN, 36:343–51, 2003. 4. Bongers ME, et al. Nutr J, 6:8, 2007. 5. Veitl V, et al. J Emahrüngsmed, 2:14–20, 2000.

A blend of **partially hydrolyzed** whey protein, unique fat mixture with β -palmitic acid, starch, long-chain polyunsaturated fatty acids and prebiotic oligosaccharides mixture (scGOS/lcFOS):



Helps reduce crying episodes in infants with colic²



Results in softer stools^{3,4}



Helps improve the overall symptoms of digestive discomfort and constipation⁵